

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	0	((internet or intranet or network) adj protocol) or internet-protocol) with packet\$1 and dynamic with pinhole\$1 with filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:25	
2	BRS	780	communication with network with firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:52	
3	BRS	183	communication with network with firewall and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:26	
4	BRS	0	communication with network with firewall and delay\$3 with clos\$3 with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:27	
5	BRS	183	communication with network with firewall and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:27	
6	BRS	5	communication with network with firewall and delay\$3 with clos\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:29	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	4	communication with network and firewall and delay\$3 with clos\$3 with (port\$1 or wire\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:31	
8	BRS	3	communication with network and firewall and clos\$3 with delay\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:34	
9	BRS	0	communication with firewall and clos\$3 with delay\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:34	
10	BRS	54	communication with network and clos\$3 with delay\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:35	
11	BRS	1	communication with network and clos\$3 adj delay\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:36	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
12	BRS	1	communication with network and (terminat\$3 or clos\$3) adj delay\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:36	
13	BRS	66	communication with network and (terminat\$3 or clos\$3) adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:36	
14	BRS	4	communication with network and (terminat\$3 or clos\$3) adj delay\$3 and exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:38	
15	BRS	14	communication with network and delay\$3 with (terminat\$3 or clos\$3) with port\$1 and exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:43	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
16	BRS	16	communication\$1 with network and delay\$3 with (terminat\$3 or clos\$3) with port\$1 and exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:43	
17	BRS	16	communication\$1 with (internet or intranet or network) and delay\$3 with (terminat\$3 or clos\$3) with port\$1 and exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:59	
18	BRS	0	communication\$1 with (internet or intranet or network) and delay\$3 with (terminat\$3 or clos\$3) with port\$1 and exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4) and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:44	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
19	BRS	97	communication with network with firewall\$1 with packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:52	
20	BRS	6	communication\$1 with (internet or intranet or network) and delay\$3 with clos\$3 with port\$1 and exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:57	
21	BRS	30	communication\$1 with (internet or intranet or network) and delay\$3 with clos\$3 with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:59	
22	BRS	0	communication\$1 with (internet or intranet or network) and delay\$3 with clos\$3 with port\$1 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:59	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
23	BRS	68	communication\$1 with (internet or intranet or network) and delay\$3 with clos\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 10:59	
24	BRS	3	communication\$1 with (internet or intranet or network) and delay\$3 with clos\$3 with (threshold\$1 or desired or expected or predefined or preset\$4) and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 11:00	
25	BRS	4	communication\$1 with (internet or intranet or network) and delay\$3 with (termin\$5 or clos\$3) with (threshold\$1 or desired or expected or predefined or preset\$4) and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 11:02	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
26	BRS	0	communication\$1 with (internet or intranet or network) and delay\$3 with exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4) with alert\$3 and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 11:02	
27	BRS	24	communication\$1 with (internet or intranet or network) and delay\$3 with exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4) and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 11:03	
28	BRS	22	communication\$1 with (internet or intranet or network) and packet\$1 and delay\$3 with exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4) and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 11:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
29	BRS	20	communication\$1 with (internet or intranet or network) and packet\$1 and delay\$3 with exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4) and firewall\$1 and (clos\$3 or termin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:06	
30	BRS	1455	communication\$1 with (internet or intranet or network) and packet\$1 and port\$1 with open\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 12:14	
31	BRS	68	communication\$1 with (internet or intranet or network) and packet\$1 and port\$1 with (open\$3 or start\$3) with time with (end\$3 or clos\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 13:36	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
32	BRS	0	communication\$1 with (internet or intranet or network) and packet\$1 and port\$1 with (open\$3 or start\$3) with time with (end\$3 or clos\$3) and delay\$3 with exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4) and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 12:17	
33	BRS	0	communication\$1 with (internet or intranet or network) and packet\$1 and port\$1 with (open\$3 or start\$3) with time with (end\$3 or clos\$3) and delay\$3 with (threshold\$1 or desired or expected or predefined or preset\$4) and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 12:17	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	18	communication\$1 with (internet or intranet or network) and packet\$1 and port\$1 with (open\$3 or start\$3) with (tim\$3 or schedule\$1) with (end\$3 or clos\$3) and delay\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 12:18	
35	BRS	2079	session adj initiation adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 13:36	
36	BRS	2	communication\$1 with (internet or intranet or network) and packet\$1 and port\$1 with (open\$3 or start\$3) with time with (end\$3 or clos\$3) and session adj initiation adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 16:45	
37	BRS	1308	709/245.cc1s.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 13:50	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
38	BRS	212	702/122.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 13:51	
39	BRS	93	"702"/\$.ccls. and open\$3 with clos\$3 with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 13:51	
40	BRS	84	"709"/\$.ccls. and open\$3 with clos\$3 with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 13:53	
41	BRS	1	702/122.ccls. and open\$3 with clos\$3 with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 13:52	
42	BRS	5	709/245.ccls. and open\$3 with clos\$3 with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 13:52	
43	BRS	4	709/245.ccls. and open\$3 with clos\$3 with port\$1 and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 13:53	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
44	BRS	0	709/245.ccls. and open\$3 with clos\$3 with port\$1 and delay\$3 with threshold\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 13:53	
45	BRS	0	"709"/\$.ccls. and open\$3 with clos\$3 with port\$1 and delay\$3 with threshold\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 13:54	
46	BRS	59	open\$3 with clos\$3 with port\$1 and delay\$3 with threshold\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 14:34	
47	BRS	0	"709"/\$.ccls. and open\$3 with clos\$3 with port\$1 and delay\$3 with exceed\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 13:54	
48	BRS	2	("370"/\$.ccls. or "709"/\$.ccls.) and open\$3 with clos\$3 with port\$1 and delay\$3 with exceed\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 13:57	
49	BRS	1	open\$3 with clos\$3 with port\$1 with packet\$1 and delay\$3 with exceed\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 14:13	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
50	BRS	0	network\$1 and open\$3 with clos\$3 with port\$1 and packet\$1 and delay\$3 with exceed\$3 with (threshold\$1 or predefined or predetermined or reference\$1 or desired or expected)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 14:16	
51	BRS	18	network\$1 and open\$3 with clos\$3 with port\$1 and packet\$1 and delay\$3 with exceed\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 08:03	
52	BRS	47	network\$1 and clos\$3 with port\$1 and packet\$1 and delay\$3 with exceed\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 14:16	
53	BRS	8	network\$1 and clos\$3 with port\$1 and packet\$1 and delay\$3 with exceed\$3 with (threshold\$1 or predefined or predetermined or reference\$1 or desired or expected)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 14:16	
54	BRS	67	open\$3 with clos\$3 with port\$1 and delay\$3 with (alert\$3 or alarm\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 14:34	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
55	BRS	23	network\$1 and open\$3 with clos\$3 with port\$1 and delay\$3 with (alert\$3 or alarm\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 14:35	
56	BRS	1	network\$1 with packet\$1 and open\$3 with clos\$3 with port\$1 and delay\$3 with (alert\$3 or alarm\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 14:37	
57	BRS	0	network\$1 with packet\$1 and clos\$3 with port\$1 and delay\$3 with (alert\$3 or alarm\$3) with (threshold\$1 or predefined or predetermined or reference\$1 or desired or expected)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 14:38	
58	BRS	5	network\$1 and packet\$1 and clos\$3 with port\$1 and delay\$3 with (alert\$3 or alarm\$3) with (threshold\$1 or predefined or predetermined or reference\$1 or desired or expected)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 15:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
59	BRS	11539	709/223,224,227,228,229,230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/22 14:50	
60	BRS	2544	370/229,230,230.1,231,232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/22 14:54	
61	BRS	0	713/200.201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/22 15:22	
62	BRS	2578	370/229,230,230.1,231,232,912.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/23 09:00	
63	BRS	2	network\$1 and packet\$1 and throttle\$1 with clos\$3 with port\$1 and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/22 15:04	
64	BRS	1	communication adj network\$1 with clos\$3 adj port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/22 15:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
65	BRS	2	"20040039938"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 15:21	
66	BRS	5308	713/200,201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 15:22	
67	BRS	724	communication\$1 with (internet or intranet or network) with packet\$1 and session adj initiation adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 16:45	
68	BRS	1	communication\$1 with (internet or intranet or network) with packet\$1 with delay\$3 with (SIP or (session adj initiation adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 16:47	
69	BRS	1	communication\$1 with (internet or intranet or network) with packet\$1 with delay\$3 same (SIP or (session adj initiation adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 16:47	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
70	BRS	30	communication\$1 with (internet or intranet or network) and packet\$1 with delay\$3 same (SIP or (session adj initiation adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 16:47	
71	BRS	7	communication\$1 with (internet or intranet or network) and packet\$1 with delay\$3 with (SIP or (session adj initiation adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 16:47	
72	BRS	0	communication\$1 with (internet or intranet or network) and packet\$1 with delay\$3 with exceed\$3 same (SIP or (session adj initiation adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 16:48	
73	BRS	0	communication\$1 with (internet or intranet or network) and packet\$1 with delay\$3 with threshold\$1 same (SIP or (session adj initiation adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/22 16:48	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
74	BRS	12	communication\$1 with (internet or intranet or network) and packet\$1 with delay\$3 with threshold\$1 and (SIP or (session adj initiation adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 08:31	
75	BRS	1	packet\$1 with delay\$3 with threshold\$1 and (SIP or (session adj initiation adj protocol)) and clos\$3 with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 07:59	
76	BRS	1	network\$1 and switch\$3 with open\$3 with clos\$3 with port\$1 and packet\$1 and delay\$3 with exceed\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 08:04	
77	IS&R	2	("5937202").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 08:04	
78	BRS	1	network\$1 and switch\$3 with open\$3 with clos\$3 with port\$1 and (SIP or (session adj initiation adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 08:04	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
79	BRS	9	packet\$1 and delay\$3 with exceed\$3 with threshold\$1 and (SIP or (session adj initiation adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 08:08	
80	BRS	41	open\$3 with clos\$3 with (SIP or (session adj initiation adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 08:27	
81	BRS	2	open\$3 with clos\$3 with (SIP or (session adj initiation adj protocol)) and secur\$3 and alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 08:28	
82	BRS	0	open\$3 with clos\$3 with (SIP or (session adj initiation adj protocol)) and (delay\$3 or loss or latency) with threshold\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 08:29	
83	BRS	18	open\$3 with clos\$3 with (SIP or (session adj initiation adj protocol)) and (delay\$3 or loss or latency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 08:29	
84	BRS	0	open\$3 with port\$1 and packet\$1 with delay\$3 with threshold\$1 and (SIP or (session adj initiation adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 08:32	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
85	BRS	2	open\$3 with port\$1 and (latency or delay\$3) with threshold\$1 and (SIP or (session adj initiation adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 08:34	
86	BRS	0	clos\$3 with port\$1 with (latency or delay\$3) with (SIP or (session adj initiation adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 08:41	
87	BRS	6	clos\$3 with port\$1 with (SIP or (session adj initiation adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 08:41	
88	BRS	5693	370/229,230,230.1,231,232,401,912.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 09:00	
89	BRS	0	voip with udp with port\$1 and (SIP or "h.323") and (loss or lost or latency or jitter or delay\$3) with exceed\$3 with (predetermined or threshold\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 09:06	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
90	BRS	3	voip with udp with port\$1 and (SIP or "h.323") and (loss or lost or latency or jitter or delay\$3) with (predetermined or threshold\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 09:08	
91	BRS	0	(exceed\$3 or excessive) with open\$3 with clos\$3 with time\$1 with load\$3 with alarm\$1 and network\$1 with (voice\$1 or package\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 09:55	
92	BRS	1	(exceed\$3 or excessive) with open\$3 with clos\$3 with time\$1 with load\$3 with alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 09:54	
93	BRS	0	(exceed\$3 or excessive) with open\$3 with clos\$3 with time\$1 and load\$3 with alarm\$1 and network\$1 with (voice\$1 or package\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 09:55	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
94	BRS	3	(internet or intranet or network) and packet\$1 and delay\$3 with exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4) and (calibrat\$3 or adjust\$3 or compensat\$3) with rout\$3 with load\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:07	
95	BRS	3	(internet or intranet or network) and packet\$1 and (loss\$2 or latency or jitter or delay\$3) with exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4) and (calibrat\$3 or adjust\$3 or compensat\$3) with rout\$3 with load\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
96	BRS	0	(internet or intranet or network) and packet\$1 and (loss\$2 or latency or jitter or delay\$3) with (calibrat\$3 or adjust\$3 or compensat\$3) with rout\$3 with load\$3 and exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:13	
97	BRS	0	(internet or intranet or network) and (voice\$1 or packet\$1) and (loss\$2 or latency or jitter or delay\$3) with (calibrat\$3 or adjust\$3 or compensat\$3) with rout\$3 with load\$3 and exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:13	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
98	BRS	0	(internet or intranet or network) and (voice\$1 or packet\$1) and (loss\$2 or latency or jitter or delay\$3) with (calibrat\$3 or adjust\$3 or compensat\$3) with rout\$3 with load\$3 and exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:13	
99	BRS	8	(internet or intranet or network) and (voice\$1 or packet\$1) and (loss\$2 or latency or jitter or delay\$3) with (calibrat\$3 or adjust\$3 or compensat\$3 or reduc\$3 or less) with rout\$3 with load\$3 and exceed\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:18	
100	BRS	0	(calibrat\$3 or adjust\$3 or compensat\$3 or reduc\$3 or less) with network\$1 with rout\$3 with load\$3 with alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:18	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
101	BRS	324	(calibrat\$3 or adjust\$3 or compensat\$3 or reduc\$3 or less) with network\$1 with rout\$3 with load\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:19	
102	BRS	17	(calibrat\$3 or adjust\$3 or compensat\$3 or reduc\$3 or less) with network\$1 with rout\$3 with load\$3 and (latency or delay\$3 or loss\$2) with threshold\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:20	
103	BRS	2	(calibrat\$3 or adjust\$3 or compensat\$3 or reduc\$3 or less) with network\$1 with rout\$3 with load\$3 and (latency or delay\$3 or loss\$2) with threshold\$1 and alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:22	
104	BRS	1	reduc\$3 with network\$1 with rout\$3 with load\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjunction\$1) with threshold\$1 and alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:24	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
105	BRS	0	reduc\$3 with network\$1 with rout\$3 with load\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjection\$1) with (predetermined or threshold\$1) and (voice\$1 or packet\$1) and alert\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:25	
106	BRS	21	reduc\$3 with network\$1 with rout\$3 with load\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjection\$1) with (predetermined or threshold\$1) and (voice\$1 or packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:42	
107	BRS	1	reduc\$3 with network\$1 with rout\$3 with load\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjection\$1) with (predetermined or threshold\$1) and alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:27	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
108	BRS	33	reduc\$3 with network\$1 with rout\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjunction\$1) with (predetermined or threshold\$1) and (voice\$1 or packet\$1) and alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:29	
109	BRS	33	reduc\$3 with network\$1 with rout\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjunction\$1) with (predetermined or threshold\$1) and (voice\$1 or packet\$1) and alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:29	
110	BRS	0	reduc\$3 with network\$1 with rout\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjunction\$1) with (predetermined or threshold\$1) with alarm\$1 and (voice\$1 or packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:30	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
111	BRS	33	reduc\$3 with network\$1 with rout\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjunction\$1) with (predetermined or threshold\$1) and alarm\$1 and (voice\$1 or packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:32	
112	BRS	1	reduc\$3 with network\$1 with rout\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjunction\$1) with exceed\$3 with (predetermined or threshold\$1) and alarm\$1 and (voice\$1 or packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:30	
113	BRS	1	reduc\$3 with network\$1 with rout\$3 with load\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjunction\$1) with (predetermined or threshold\$1) and alarm\$1 and (voice\$1 or packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:39	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
114	BRS	1	reduc\$3 with network\$1 with rout\$3 with load\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjection\$1) with (predetermined or threshold\$1) and (voice\$1 or packet\$1) and alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:49	
115	BRS	1	reduc\$3 with network\$1 with rout\$3 with load\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjection\$1) with (predetermined or threshold\$1) and alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:43	
116	BRS	0	reduc\$3 with network\$1 with rout\$3 with load\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjection\$1) with alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:44	
117	BRS	6	reduc\$3 with rout\$3 with load\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjection\$1) with (predetermined or threshold\$1) and alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:43	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
118	BRS	16	reduc\$3 with network\$1 with rout\$3 with load\$3 and (latency or delay\$3 or loss\$2 or jitter\$3 or conjection\$1) and alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:44	
119	BRS	60	(latency or delay\$3 or loss\$2 or jitter\$3 or conjection\$1) with (predetermined or threshold\$1) and (voice\$1 or packet\$1) and alarm\$1 and load\$3 with balance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:50	
120	BRS	1	(latency or delay\$3 or loss\$2 or jitter\$3 or conjection\$1) with (predetermined or threshold\$1) with alarm\$1 and (voice\$1 or packet\$1) and load\$3 with balance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:50	
121	BRS	50	(latency or delay\$3 or loss\$2 or jitter\$3 or conjection\$1) with (predetermined or threshold\$1) and alarm\$1 and (voice\$1 or packet\$1) with network\$1 and load\$3 with balance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:51	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
122	BRS	1	(latency or delay\$3 or loss\$2 or jitter\$3 or conjunction\$1) with exceed\$3 with (predetermined or threshold\$1) and alarm\$1 and (voice\$1 or packet\$1) with network\$1 and load\$3 with balance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:53	
123	BRS	5	(latency or delay\$3 or loss\$2 or jitter\$3 or conjunction\$1) with exceed\$3 with (predetermined or threshold\$1) and alarm\$1 and (voice\$1 or packet\$1) with network\$1 and load\$3 with rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:54	
124	BRS	0	(latency or delay\$3 or loss\$2 or jitter\$3 or conjunction\$1) with exceed\$3 with (predetermined or threshold\$1) and alarm\$1 and (voice\$1 or packet\$1) with network\$1 and load\$3 with rout\$3 and sip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/23 10:54	